

Prevalence in percentages (95% CI)			
Age	Totals	Men	Women
25	0.133 (0.066 – 0.266)	0.568 (0.273 – 1.168)	0.002 (0.000 – 0.019)
30	0.405 (0.206 – 0.789)	1.280 (0.605 – 2.651)	0.010 (0.001 – 0.081)
35	1.026 (0.515 – 2.012)	2.497 (1.166 – 5.117)	0.039 (0.005 – 0.284)
40	2.242 (1.094 – 4.419)	4.337 (2.028 – 6.824)	0.132 (0.019 – 0.856)
45	4.302 (2.055 – 8.346)	6.836 (3.245 – 12.972)	0.380 (0.058 – 2.211)
50	7.331 (3.494 – 13.634)	9.924 (4.845 – 17.795)	0.955 (0.150 – 4.763)
55	11.231 (5.460 – 19.666)	13.442 (6.818 – 22.725)	2.090 (0.339 – 8.476)
60	15.707 (7.929 – 25.782)	17.198 (9.119 – 27.496)	3.975 (0.689 – 12.814)
65	20.406 (10.808 – 31.555)	21.012 (11.675 – 31.960)	6.588 (1.268 – 17.231)
70	25.045 (13.962 – 36.800)	24.751 (14.399 – 36.056)	9.683 (2.168 – 21.427)
75	29.449 (17.251 – 41.484)	28.329 (17.209 – 39.778)	12.959 (3.396 – 25.299)
80	33.535 (20.554 – 45.639)	31.697 (20.032 – 43.146)	16.199 (4.941 – 28.833)
85	37.279 (23.783 – 49.323)	34.839 (22.813 – 46.190)	19.284 (6.734 – 32.050)
90	40.689 (26.881 – 52.595)	37.751 (25.512 – 48.945)	22.171 (8.684 – 34.982)
95	43.790 (29.816 – 55.514)	40.444 (28.104 – 51.444)	24.850 (10.702 – 37.661)
100	46.611 (32.576 – 58.128)	42.931 (30.573 – 53.718)	27.329 (12.723 – 40.116)